




Key Features

- **#304 Stainless Steel Construction, Platter and Pillar (Optional)**
- **Equipped with OIML C3 Approved 17-4PH Stainless Steel Load Cell**
- **Complete Sealed Design, to Prevent Liquid Penetrate into Platform Structure**
- **Rugged Structure for Harsh and Rugged Environment**
- **Overload Protection Devices to Withstand Shock and Overloads**
- **Safe Overload = 150% plus**
- **Ultimate Overload = 200% plus**
- **Adjustable Feet and Bubble Level Included**



Easy Weighing at Economical Price

FM-S Series All Stainless Steel Robust Scale Bases

Specifications

Model	Platform Capacity (kg)	Platform Size (mm)	Load Cell Data		
			E_{max} (kg)	IP Rating	V_{min}
FM-SB6	6	300 x 400	15	IP66	$E_{max}/15000$
FM-SB15	15		30		
FM-SB30	30		50	IP66	$E_{max}/9000$
FM-SB60	60		100		
FM-SB150	150		200		
FM-SF60	60	400 x 500	100	IP68	$E_{max}/10000$
FM-SF150	150		200		
FM-SF300	300		400		
FM-SL60	60	500 x 650	100		
FM-SL150	150		200		
FM-SL300	300		400		
Operating Environment		-10~40°C(14~104°F) Non-condensed R.H. ≤85%			


In the interest of improvement, specifications may change prior to notice

Options

- All Grade #304 Stainless Steel Pillar
- FM16S Stainless Steel Weighing Indicator

Dimensions (mm)

Platform	a	b	c	d
FM-SB	300	400	105	385
FM-SF	400	500	130	540
FM-SL	500	650	130	540



Indicator Mounting
on Top of Pillar

